

Applic. No. 10/626,954

Amdt. dated April 30, 2005

Reply to Office action of February 8, 2005

Claim Amendments

This listing of the claims will replace all prior versions,
and listings, of claims in the application:

Claim 1 (currently amended): A machine for processing flat
printing material, comprising:

at least one processing station in the form of a printing unit;

a feeder for loading said at least one processing station with
sheets of the printing material;

a delivery for combining the processed sheets into piles;

an auxiliary pile carrier to be displaced in an insertion
direction from a standby position into an operational position
and ~~to be displaced in an opposite direction, back to said~~
standby position, said auxiliary pile carrier having supporting
members following one another in said insertion direction; and

axially parallel swivel joints for articulately connecting
said supporting members directly to one another;

Applic. No. 10/626,954

Amdt. dated April 30, 2005

Reply to Office action of February 8, 2005

said supporting members having extensions projecting beyond said swivel joints, one of said extensions being directed counter to said insertion direction ~~of a respective one of said supporting members~~ and engaging underneath one of said extensions being directed in said insertion direction of the next said ~~respective~~ supporting member ~~after the next~~ trailing in said insertion direction.

Claim 2 (original): The machine according to claim 1, further comprising a guide through which said supporting members are to be pushed for use of said supporting members, said guide holding said extension being directed counter to said insertion direction and located in said guide, in contact with said extension being directed in said insertion direction of said supporting member after the next trailing in said insertion direction.

Claim 3 (original): The machine according to claim 2, wherein said guide forms a support for said auxiliary pile carrier.

Claim 4 (original): The machine according to claim 2, further comprising a guide track, said auxiliary pile carrier being supported on said guide track in said standby position of said auxiliary pile carrier.

Applic. No. 10/626,954

Amdt. dated April 30, 2005

Reply to Office action of February 8, 2005

Claim 5 (original): The machine according to claim 4, wherein said guide track rises convexly and has a lower end facing said at least one processing station.

Claim 6 (original): The machine according to claim 4, further comprising a lifting/lowering unit for lifting and lowering said guide and said guide track jointly.

Claim 7 (currently amended): The machine according to claim 1, wherein said supporting members form ~~an auxiliary pile~~ a supporting table when located in ~~an~~ said operating position ~~of said supporting members~~.

Claim 8 (original): The machine according to claim 1, wherein said supporting members form individual rod-shaped supporting elements when located in an operating position of said supporting members.

Claim 9 (currently amended): A sheet-processing rotary printing press for processing flat printing material, comprising:

at least one processing station in the form of a rotary printing press printing unit;

Applic. No. 10/626,954

Amdt. dated April 30, 2005

Reply to Office action of February 8, 2005

a feeder for loading said at least one processing station with sheets of the printing material;

a delivery for combining the processed sheets into piles;

an auxiliary pile carrier to be displaced in an insertion direction from a standby position into an operational position and ~~to be displaced in an opposite direction,~~ back to said standby position, said auxiliary pile carrier having supporting members following one another in said insertion direction; and

axially parallel swivel joints for articulately connecting said supporting members directly to one another;

said supporting members having extensions projecting beyond said swivel joints, one of said extensions being directed counter to said insertion direction ~~of a respective one of said supporting members~~ and engaging underneath one of said extensions being directed in said insertion direction of the next said ~~respective~~ supporting member ~~after the next~~ trailing in said insertion direction.